

**CLIA ANNUAL LABORATORY REGISTRY
2014**

Once a year the Centers for Medicare and Medicaid Services makes available to physicians and to the general public specific information (including information provided to CMS by the Office of the Inspector General) that is useful in evaluating the performance of laboratories. The Clinical Laboratory Improvement Amendments of 1988 (CLIA) and implementing regulations at 42 CFR 493.1850 require that this listing include the following:

- (1) A list of laboratories that have been convicted, under Federal or State laws relating to fraud and abuse, false billing, or kickbacks.
- (2) A list of laboratories that have had principal sanctions imposed; their CLIA certificates suspended, limited, or revoked, and the reasons for the adverse actions.
- (3) A list of persons who have been convicted of violating CLIA requirements, as specified in section 353(1) of the PHS Act, together with circumstances of each case and the penalties imposed.
- (4) A list of laboratories on which alternative sanctions have been imposed, showing--
 - (i) the effective date of the sanctions;
 - (ii) the reason for imposing them;
 - (iii) any corrective action taken by the laboratory;
 - (iv) if the laboratory has achieved compliance, the verified date of compliance.
- (5) A list of laboratories whose accreditation has been withdrawn or revoked and the reasons for the withdrawal or revocation.
- (6) All appeals and hearing decisions.
- (7) A list of laboratories against which CMS has brought suit under Section 493.1846 and the reasons for those actions.
- (8) A list of laboratories that have been excluded from participation in Medicare or Medicaid and the reasons for exclusion.

Civil settlements reached with clinical laboratories are also noted.

The Laboratory Registry is compiled for the calendar year proceeding the date the information is made available and also contains corrections of any erroneous statements of information that appeared in the previous registry. A final section includes other specific information that may be useful in evaluating the performance of laboratories, as specified in 42 CFR 493.1850(a). It also includes information provided by CLIA exempt states.

2014 CLIA LAB REGISTRY

(AS REQUIRED BY SECTION 353(N) OF THE PUBLIC HEALTH SERVICE ACT)

ACTIVITY 01/01/2014 - 12/31/2014

1. LABORATORIES SUBJECT TO CLIA THAT HAVE BEEN CONVICTED, UNDER FEDERAL OR STATE LAWS RELATING TO FRAUD AND ABUSE, FALSE BILLING, OR KICKBACKS.

*** NO DATA FOUND ***

2. LABORATORIES THAT HAVE HAD THEIR CLIA CERTIFICATE SUSPENDED, LIMITED, OR REVOKED, AND THE REASON FOR THE ADVERSE ACTION. (MEDICARE CANCELLATION, A PRINCIPAL SANCTION, HAS BEEN INCLUDED IN THIS CATEGORY.)

JAMES GOLLEHER, DIRECTOR

WHITE COUNTY MEDICAL CENTER-NORTH CAMPUS

WHITE COUNTY MEDICAL CENTER

3214 EAST RACE AVENUE

SEARCY, AR 72143

CLIA ID# 04D0466778

SANCTION: Cancel Medicare/Medicaid Approval
 Suspension of CLIA Certificate
 Revocation of CLIA Certificate

EFFECTIVE DATE: March 7, 2014
 March 7, 2014
 September 18, 2014

REASON: Cancellation of Medicare Approval Revocation
 Condition Level Non-Compliance with IJ
 Improper PT Testing Referral Activities

STATUS: Revocation Pending Hearing
 Revocation of CLIA Certificate
 Hearing Requested

RICHARD JOHNSON M D, DIRECTOR

RICHARD JOHNSON MD

500 S UNIVERSITY AVE, SUITE 318

LITTLE ROCK, AR 72205

CLIA ID# 04D0467127

SANCTION: Cancel Medicare/Medicaid Approval
 Suspension of CLIA Certificate

EFFECTIVE DATE: July 1, 2014
 July 1, 2014

REASON: Medicare Cancellation/Suspension
 Condition Level Non-Compliance
 Failure to Correct Deficiencies
 Failure To Submit Acceptable POC or AOC

STATUS: Suspension And Limitation Lifted
 Laboratory voluntarily Ceased Testing

The Laboratory changed certificate types.

KATHY DEVORE, DIRECTOR
ADVANCED CARE HOSPITAL OF WHITE COUNTY
1200 SOUTH MAIN STREET
SEARCY, AR 72143
CLIA ID# 04D1068869

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate

EFFECTIVE DATE: March 14, 2014
March 14, 2014

REASON: Condition Level Non-Compliance with IJ
Improper PT Testing Referral Activities

STATUS: Suspension And Limitation Lifted
Certificate Reinstated
Appeal Filed By Laboratory

Settlement Agreement reached prior to hearing. In the settlement agreement, did training and a CMP.

JOHN WOODCOCK M.D., DIRECTOR
SIERRA MEDICAL GROUP HOLDING COMPANY INC
39115 TRADE CENTER DR STE 130
PALMDALE, CA 93551
CLIA ID# 05D0587839

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: April 10, 2014
April 10, 2014

LINDA COWAN MD DIRECTOR, DIRECTOR
PRO GENETIC LABORATORY INC
DBA UNIVERSITY CHILDRENS GENETICS LABORATORY
431 S RAYMOND AVE UNIT 101
ALHAMBRA, CA 91803
CLIA ID# 05D0943445

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate
Revocation of CLIA Certificate

EFFECTIVE DATE: September 3, 2014
September 3, 2014
October 25, 2014

ARON BICK MD, DIRECTOR
SYNERGY HEMATOLOGY ONCOLOGY MEDICAL ASSOC LAB
5363 BALBOA BLVD, STE 345
ENCINO, CA 91316
CLIA ID# 05D1010428

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: February 1, 2014

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ROUPEN YAGHSEZIAN, DIRECTOR
PRECISION DIAGNOSTIC LABORATORY INC
3089 S HARBOR BLVD
SANTA ANA, CA 92704
CLIA ID# 05D1059094

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: April 23, 2014
June 12, 2014

MISAL KHAN, DIRECTOR
MISAL KHAN MD FRCS (ED) PA
3808 E 3RD ST
PANAMA CITY, FL 32401
CLIA ID# 10D0270499

SANCTION: Limitation of CLIA Certificate
Limitation of CLIA Certificate

EFFECTIVE DATE: July 18, 2014
November 4, 2014

REASON: Unsuccessful PT

KOZHIMALA JOHN, DIRECTOR

KOZHIMALA T JOHN MD PA

6340 FORT KING RD

ZEPHYRHILLS, FL 33542

CLIA ID# 10D0667684

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: January 8, 2014
January 8, 2014

REASON: Condition Level Non-Compliance

STATUS: Revocation of CLIA Certificate

SEAN KAUFMAN M.D., DIRECTOR

FLORIDA REFERENCE LABORATORY INC

7109 SW 43RD ST

MIAMI, FL 33155

CLIA ID# 10D0942188

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: August 24, 2014

REASON: Unsuccessful PT

JACK GAY, DIRECTOR
ALLIED PATHOLOGY LAB
610 W MLK BLVD
TAMPA, FL 33603
CLIA ID# 10D1036066

SANCTION: Revocation of CLIA Certificate

EFFECTIVE DATE: January 11, 2014

REASON: Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate

CECILIA OLIVERI, DIRECTOR
HIGHLANDS MEDICAL CENTER INC
610 W MARTIN LUTHER KING BLVD
TAMPA, FL 33603
CLIA ID# 10D1047238

SANCTION: Revocation of CLIA Certificate

EFFECTIVE DATE: January 11, 2014

REASON: Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate

NATHANIEL MORGAN, DIRECTOR

NATHANIEL E MORGAN MD

11157 S HALSTED

CHICAGO, IL 60619

CLIA ID# 14D0693050

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate

EFFECTIVE DATE: September 14, 2014
September 14, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved; Civil Money Penalty (CMP) Imposed

JAMES KYLER, DIRECTOR

FORT WAYNE DERMATOLOGY CONSULTANTS INC

5750 FALLS DR

FORT WAYNE, IN 46804

CLIA ID# 15D0358006

SANCTION: Medicare and Medicaid Denial
Revocation of CLIA Certification

EFFECTIVE DATE: March 24, 2014
March 24, 2014

REASON: Improper Proficiency Testing Referral Activities

STATUS: Revocation of CLIA Certificate

CHRISTA RODRIGUEZ, DIRECTOR
CORNERSTONE PEDIATRICS
A PROFESSIONAL MEDICAL CORPORATION
1055 PARKWAY DRIVE SUITE A
NATCHITOCHEs, LA 71457
CLIA ID# 19D0982563

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: January 15, 2014

REASON: Medicare Cancellation/Suspension
 Condition Level Non-Compliance
 Unsuccessful PT

STATUS: Compliance Achieved

LISA COLON M.D., DIRECTOR
LISA M COLON, MD
4770 I-10 SERVICE ROAD STE 104
METAIRIE, LA 70001
CLIA ID# 19D1068235

SANCTION: Cancel Medicare/Medicaid Approval
 Suspension of CLIA Certificate
 Revocation of CLIA Certificate

EFFECTIVE DATE: November 12, 2014
 November 12, 2014
 December 31, 2014

REASON: Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies
Revocation of CLIA Certificate
Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate

CLAYTON MEAD Ph.D., DIRECTOR

WESTERN MONTANA CLINIC

515 WEST FRONT STREET

MISSOULA, MT 59802

CLIA ID# 27D0410975

SANCTION: Revocation of CLIA Certificate

EFFECTIVE DATE: October 19, 2014

PAUL GRESHAM MD, DIRECTOR

OHIO PEDIATRICS INC

1775 DELCO PARK DRIVE

KETTERING, OH 45420

CLIA ID# 36D0349902

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: September 16, 2014

September 16, 2014

REASON: Cancellation of Medicare Approval Revocation
2 Year Prohibition From Owning, Operating and Directing
Condition Level Non-Compliance
Improper PT Testing Referral Activities
Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate

SHAKIR SARWAR, DIRECTOR

HEMATOLOGY ONCOLOGY CONSULTANTS INC

2000 NEWARK-GRANVILLE ROAD SUITE 201

GRANVILLE, OH 43023

CLIA ID# 36D0670996

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: July 15, 2014
July 15, 2014

REASON: 2 Year Prohibition From Owning, Operating and Directing
Medicare Cancellation/Suspension
Condition Level Non-Compliance
Improper PT Testing Referral Activities

STATUS: Revocation of CLIA Certificate

JOHN KAVLICH MD, DIRECTOR
PATIENT FIRST DBA JOHN J KAVLICH MD
276 WEST BAGLEY ROAD
BEREA, OH 44017
CLIA ID# 36D0909600

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: May 21, 2014
May 21, 2014

Laboratory was revoked 8/4/14

SHAKIR SARWAR M.D., DIRECTOR
HEMATOLOGY ONCOLOGY CONSULTANTS INC
340 EAST TOWN STREET SUITE 8-200
COLUMBUS, OH 43215
CLIA ID# 36D1081521

SANCTION: Cancel Medicare/Medicaid Approval
Revocation of CLIA Certificate

EFFECTIVE DATE: October 22, 2014
October 22, 2014

REASON: Condition Level Non-Compliance with IJ
Lab Owner/Oper Prohibited From Owning Lab

STATUS: Revocation of CLIA Certificate

IRA ELLIS, DIRECTOR
LEXINGTON FAMILY PRACTICE
524 SOUTH BROAD ST
LEXINGTON, TN 38351
CLIA ID# 44D2054120

SANCTION: * NO SANCTIONS FOUND *

EFFECTIVE DATE:

REASON: Unsuccessful PT

STATUS: Suspension and Limitation Lifted
Compliance Achieved

JAMES I. DUFF, DIRECTOR
STEPHENS MEMORIAL HOSPITAL
200 SOUTH GENEVA ST.
BRECKENRIDGE, TX 76424
CLIA ID# 45D0484993

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: November 10, 2014

REASON: Unsuccessful PT
Condition Level Non – Compliance; Non – IJ

GONZALO URIBE-BOTERO M.D., DIRECTOR
ACADEMIC INSTITUTE OF PATHOLOGY
5420 BELLAIRE BOULEVARD SUITE B
BELLAIRE, TX 77401
CLIA ID# 45D0722508

SANCTION: Cancel Medicare/Medicaid Approval

EFFECTIVE DATE: February 11, 2014

REASON: Condition Level Non-Compliance with IJ
Improper PT Testing Referral Activities

STATUS: Revocation Pending Hearing
Appeal Filed By Laboratory

BRUCE WARDLAY, DIRECTOR
OAKCLIFF MEDICAL TREATMENT CLINIC
1401 W JEFFERSON BLVD
DALLAS, TX 75208
CLIA ID# 45D0938746

SANCTION: Limitation of CLIA Certificate
Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate

EFFECTIVE DATE: February 7, 2014
November 3, 2014
November 3, 2014

REASON: Condition Level Non-Compliance
Unsuccessful PT
Failure to Correct Deficiencies

STATUS: Compliance Achieved

NORMA CAVAZOS SALAS, DIRECTOR
LA JOYAS NEIGHBORHOOD DOCTOR
DR NORMA CAVAZOS-SALAS AND ASSOCIATES
2121 E GRIFFIN PARKWAY #6
MISSION, TX 78572
CLIA ID# 45D0946516

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: April 16, 2014

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Compliance Achieved

MARK E. QUIRING, DIRECTOR

MARK E. QUIRING, MD PA

305 WEST 20TH STREET

MOUNT PLEASANT, TX 75455

CLIA ID# 45D0947926

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: July 7, 2014

REASON: Unsuccessful PT

STATUS: Compliance Achieved

JACOBO GOLDBERG, DIRECTOR

PEDIATRICS OF SOUTHWEST HOUSTON, PA

6700 WEST LOOP S, SUITE #300

BELLAIRE, TX 77401

CLIA ID# 45D0971635

SANCTION: Limitation of CLIA Certificate

EFFECTIVE DATE: November 10, 2014

REASON: Condition Level Non-Compliance
 Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing

The laboratory opted to change to a PPMP certificate.

OSCAR MANGINI, MD, DIRECTOR
MEDICAL CENTER LABORATORY II
2525 WEST BELFORT, SUITE 197
HOUSTON, TX 77054
CLIA ID# 45D1052675

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate

EFFECTIVE DATE: January 21, 2014
January 21, 2014

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance with IJ
Unsuccessful PT
Failure to Correct Deficiencies
Failure To Submit Acceptable POC or AOC

STATUS: Compliance Achieved

BRIAN CARLILE DO M.D., DIRECTOR

ONSITE OHS, INC

2421 WESTPORT PARKWAY #300

FORT WORTH, TX 76177

CLIA ID# 45D2028220

SANCTION: Cancel Medicare/Medicaid Approval
 Suspension of CLIA Certificate

EFFECTIVE DATE: May 23, 2014
 May 23, 2014

REASON: Medicare Cancellation/Suspension
 Condition Level Non-Compliance with IJ
 Failure to Correct Deficiencies
 Failure To Submit Acceptable POC or AOC

STATUS: Revocation Pending Hearing
 Hearing Requested

GLENWOOD WILBERT III M.D., DIRECTOR

CONSULTANTS IN RADIOLOGY, PA

831 EUREKA ST

WEATHERFORD, TX 76086

CLIA ID# 45D2043795

SANCTION: Cancel Medicare/Medicaid Approval
 Suspension of CLIA Certificate

EFFECTIVE DATE: November 24, 2014
 November 24, 2014

REASON: Condition Level Non-Compliance with IJ
 Failure to Correct Deficiencies
 Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate

GLENWOOD WILBERT III M.D., DIRECTOR

CLEBURNE IMAGING LLC

203 WALLS DRIVE SUITE 101

CLEBURNE, TX 76033

CLIA ID# 45D2043796

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate

EFFECTIVE DATE: December 24, 2014
December 24, 2014

REASON: Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies
Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate

BRUCE WARDLAY, DIRECTOR

TERRELL MEDICAL CLINIC

209 N ROCKWALL

TERRELL, TX 75160

CLIA ID# 45D2045560

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate

EFFECTIVE DATE: October 27, 2014
October 27, 2014

REASON: Condition Level Non-Compliance with IJ
Unsuccessful PT
Failure to Correct Deficiencies
Failure To Submit Acceptable POC or AOC

STATUS: Suspension And Limitation Lifted
Laboratory voluntarily Ceased Testing

DAVID SEVERANCE, DIRECTOR

WICHITA FALLS EMPLOYEE CENTER-RM,412

1700 THIRD STREET

WICHITA FALLS, TX 76301

CLIA ID# 45D2049054

SANCTION: Cancel Medicare/Medicaid Approval
 Suspension of CLIA Certificate

EFFECTIVE DATE: February 11, 2014
 February 11, 2014

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved
 Appeal Filed By Laboratory

ALI KHAN MD, DIRECTOR

ALI KHAN MD

2 HARTMAN PLAZA

BUCKHANNON, WV 26201

CLIA ID# 51D1095188

SANCTION: Cancel Medicare/Medicaid Approval
Suspension of CLIA Certificate

EFFECTIVE DATE: April 28, 2014
April 28, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Suspension And Limitation Lifted
As of May 14, 2014 Laboratory Changed to Certificate of Waiver.
Refer to Section 4 for Imposed Alternative Sanction.

3. A LIST OF PERSONS CONVICTED OF VIOLATING CLIA REQUIREMENTS AS SPECIFIED IN SECTION 353(1) OF THE PUBLIC HEALTH SERVICES ACT, WITH THE CIRCUMSTANCES OF EACH CASE AND THE PENALTIES IMPOSED.

*** NO DATA FOUND ***

4. A LIST OF LABORATORIES ON WHICH ALTERNATIVE SANCTIONS HAVE BEEN IMPOSED, SHOWING -

- (I) THE EFFECTIVE DATE OF THE SANCTIONS
- (II) THE REASON FOR IMPOSING THEM
- (III) ANY CORRECTIVE ACTION TAKEN BY THE LABORATORY AND
- (IV) IF LABORATORY HAS ACHIEVED COMPLIANCE, THE VERIFIED DATE OF THE COMPLIANCE

CATHY MANSKE MT (ASCP), DIRECTOR

BUCKEYE MEDICAL CENTER

501 W VAN BUREN ST STE T

AVONDALE, AZ 85323

CLIA ID# 03D1082579

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 17, 2014

JAMES GOLLEHER, DIRECTOR

WHITE COUNTY MEDICAL CENTER-NORTH CAMPUS

WHITE COUNTY MEDICAL CENTER

3214 EAST RACE AVENUE

SEARCY, AR 72143

CLIA ID# 04D0466778

SANCTION: Civil Money Penalty

EFFECTIVE DATE: October 21, 2014

JAMES TRICE, DIRECTOR
JAMES TRICE MD PA
7005 SOUTH HAZEL STREET
PINE BLUFF, AR 71613
CLIA ID# 04D0913006

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 21, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Laboratory is Closed.

KATHY DEVORE, DIRECTOR
ADVANCED CARE HOSPITAL OF WHITE COUNTY
1200 SOUTH MAIN STREET
SEARCY, AR 72143
CLIA ID# 04D1068869

SANCTION: Civil Money Penalty

EFFECTIVE DATE: September 18, 2014

Settlement Agreement reached prior to hearing. In the settlement agreement, did training and a CMP.

ROBERT ROMEYN CLB DIRECTOR, DIRECTOR

C-TON LABORATORY

3870 DEL AMO BLVD STE 504

TORRANCE, CA 90503

CLIA ID# 05D0699248

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: July 22, 2014

WILLIAM NGUYEN, DIRECTOR

BIOLOGICAL LABORATORY, INC

1370 VALLEY VISTA DR STE 135

DIAMOND BAR, CA 91765

CLIA ID# 05D0930143

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: June 27, 2014

LINDA COWAN MD DIRECTOR, DIRECTOR

PRO GENETIC LABORATORY INC

DBA UNIVERSITY CHILDRENS GENETICS LABORATORY

431 S RAYMOND AVE UNIT 101

ALHAMBRA, CA 91803

CLIA ID# 05D0943445

SANCTION: Civil Money Penalty

EFFECTIVE DATE: August 31, 2014

ARON BICK MD, DIRECTOR

SYNERGY HEMATOLOGY ONCOLOGY MEDICAL ASSOC LAB

5363 BALBOA BLVD, STE 345

ENCINO, CA 91316

CLIA ID# 05D1010428

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: January 28, 2014
January 28, 2014
February 1, 2014

REASON: Medicare Cancellation/Suspension
Condition Level Non-Compliance
Unsuccessful PT

ROUPEN YAGHSEZIAN, DIRECTOR

PRECISION DIAGNOSTIC LABORATORY INC

3089 S HARBOR BLVD

SANTA ANA, CA 92704

CLIA ID# 05D1059094

SANCTION: Civil Money Penalty

EFFECTIVE DATE: April 23, 2014

MISAL KHAN, DIRECTOR

MISAL KHAN MD FRCS (ED) PA

3808 E 3RD ST

PANAMA CITY, FL 32401

CLIA ID# 10D0270499

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid
Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: July 18, 2014
July 18, 2014
November 4, 2014
November 4, 2014

CLIFFORD THRELKELD D.O., DIRECTOR

BOND & STEELE CLINIC PA D/B/A BOND CLINIC PA

199 AVE B NW

WINTER HAVEN, FL 33881

CLIA ID# 10D0293247

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 7, 2014
May 7, 2014

SEAN KAUFMAN M.D., DIRECTOR

FLORIDA REFERENCE LABORATORY INC

7109 SW 43RD ST

MIAMI, FL 33155

CLIA ID# 10D0942188

SANCTION: Directed Plan of Correction (DPOC)
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: August 24, 2014
August 24, 2014

CLIFFORD THRELKELD, DIRECTOR

BOND AND STEELE CLINIC PA D/B/A BOND CLINIC PA

500 E CENTRAL AVE

WINTER HAVEN, FL 33880

CLIA ID# 10D1039920

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 7, 2014
May 7, 2014

NATHANIEL MORGAN, DIRECTOR

NATHANIEL E MORGAN MD

11157 S HALSTED

CHICAGO, IL 60619

CLIA ID# 14D0693050

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 6, 2014
September 14, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved; Cancellation of Medicare & Medicaid Approval; Suspension of
CLIA Certification

RONALD SULEWSKI, DIRECTOR

PINSKI DERMATOLOGY & COSMETIC SURGERY

374 LARRY POWER RD

BOURBONNAIS, IL 60914

CLIA ID# 14D2010138

SANCTION: * NO SANCTIONS FOUND *

EFFECTIVE DATE:

REASON: Condition Level Non-Compliance with IJ

STATUS: Hearing Requested
Compliance Achieved

BRANDI KELLY M.D., DIRECTOR
BEAUREGARD MEMORIAL HOSPITAL
600 SOUTH PINE STREET, 1ST FLOOR
DERIDDER, LA 70634
CLIA ID# 19D0048743

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: October 7, 2014

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

GEARLD BROUSSARD, DIRECTOR
BROUSSARD SURGERY INSTITUTE INC
1250 PECANLAND ROAD
MONROE, LA 71203
CLIA ID# 19D0870005

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 19, 2014

REASON: Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies

STATUS: Compliance Achieved

MONTY RIZZO, DIRECTOR

MONTY J RIZZO MD

IBERIA MEDICAL CENTER

2308 E MAIN ST, SUITE B

NEW IBERIA, LA 70560

CLIA ID# 19D0876013

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: July 24, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

LUIS APELLANIZ M.D., DIRECTOR

JENNINGS PEDIATRIC CENTER

1322 ELTON ROAD, SUITE P

JENNINGS, LA 70546

CLIA ID# 19D0877652

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 7, 2014

REASON: Condition Level Non-Compliance
Revocation of CLIA Certificate

STATUS: Laboratory voluntarily Ceased Testing
The laboratory closed.

CHRISTA RODRIGUEZ, DIRECTOR
CORNERSTONE PEDIATRICS
A PROFESSIONAL MEDICAL CORPORATION
1055 PARKWAY DRIVE SUITE A
NATCHITOCHE, LA 71457
CLIA ID# 19D0982563

SANCTION: Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: January 1, 2014

LISA COLON M.D., DIRECTOR
LISA M COLON, MD
4770 I-10 SERVICE ROAD STE 104
METAIRIE, LA 70001
CLIA ID# 19D1068235

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 30, 2014

REASON: Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies

ROBERT CROWE, DIRECTOR
PEDIATRIC CENTER THE
919 SOUTH 10TH STREET
LEESVILLE, LA 71446
CLIA ID# 19D1086156

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 29, 2014

REASON: Condition Level Non-Compliance with IJ
Failure To Submit Acceptable POC or AOC

STATUS: Compliance Achieved
Laboratory Reaccredited

AMANDA KAMPERT, DIRECTOR
PROGRESSIVE CHILDRENS CLINIC LLC
2508 BERT KOUNS, SUITE 300
SHREVEPORT, LA 71118
CLIA ID# 19D2043646

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 3, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Laboratory voluntarily Ceased Testing

The Laboratory changed certificate types and went to a Certificate of Waiver.

KEN NGUYEN, DIRECTOR

UPFRONT URGENT CARE AND OCCUPATIONAL MEDICINE

1718 N MARTIN LUTHER KING HWY

LAKE CHARLES, LA 70601

CLIA ID# 19D2053247

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: August 6, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

VICTOR KIM, DIRECTOR

ALLCARE OF MARYLAND LLC

6955 OAKLAND MILLS RD STE N

COLUMBIA, MD 21045

CLIA ID# 21D1043822

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 15, 2014

REASON: Condition Level Non-Compliance
Unsuccessful PT

MILENKO TANASIJEVIC, DIRECTOR

BWH CLINICAL LABORATORIES

75 FRANCIS ST AMORY 2 RM 215

BOSTON, MA 02115

CLIA ID# 22D0666524

SANCTION: * NO SANCTIONS FOUND *

EFFECTIVE DATE:

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

Imposition of Alternative Sanction Due to Improper PT Referral Effective Feb 3, 2014.

BENJAMIN RIVNAY, DIRECTOR

SCHREIBER ENDOCRINE LAB

675 MAIN STREET

MELROSE, MA 02176

CLIA ID# 22D2003807

SANCTION: Civil Money Penalty

EFFECTIVE DATE: August 6, 2014

REASON: Cancellation of Medicare Approval Revocation
Revocation of CLIA Certificate

STATUS: Revocation of CLIA Certificate

The Laboratory Failed to Comply With the Alternative Sanctions Imposed During the Revocation Period of the Laboratory's CLIA Certificate; Therefore, A Civil Money Penalty Has Been Imposed By CMS.

CLAYTON MEAD Ph.D., DIRECTOR

WESTERN MONTANA CLINIC

515 WEST FRONT STREET

MISSOULA, MT 59802

CLIA ID# 27D0410975

SANCTION: Directed Plan of Correction (DPOC)
Civil Money Penalty

EFFECTIVE DATE: August 29, 2014
October 19, 2014

DAVID GROSSMAN MD M.D., DIRECTOR

LUCAS COUNTY REGIONAL HEALTH DISTRICT

635 NORTH ERIE STREET

TOLEDO, OH 43624

CLIA ID# 36D0674771

SANCTION: * NO SANCTIONS FOUND *

EFFECTIVE DATE:

REASON: Condition Level Non-Compliance with IJ

STATUS: Hearing Requested
Compliance Achieved

This Case Had a Settlement the Only Thing Imposed Was DPOC, Lab Is Testing.

NEHA SHETH MD, DIRECTOR
UHMP NORTHEAST PEDIATRICS
4212 STATE ROUTE 306 SUITE 304
WILLOUGHBY, OH 44094
CLIA ID# 36D0908139

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 7, 2014

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

Alternative sanction of DPOC was imposed and they have met the 6 months requirements.

JOHN KAVLICH MD, DIRECTOR
PATIENT FIRST DBA JOHN J KAVLICH MD
276 WEST BAGLEY ROAD
BEREA, OH 44017
CLIA ID# 36D0909600

SANCTION: Civil Money Penalty

EFFECTIVE DATE: January 6, 2014

REASON: Condition Level Non-Compliance

STATUS: Revocation of CLIA Certificate
Laboratory was revoked 8/4/14

REBECCA SAGER, DIRECTOR
HARMON MEMORIAL HOSPITAL
400 EAST CHESTNUT
HOLLIS, OK 73550
CLIA ID# 37D0472309

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 20, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

BOB ABERNATHY, DIRECTOR
CORDELL MEMORIAL HOSPITAL
1220 N GLENN ENGLISH ST
CORDELL, OK 73632
CLIA ID# 37D0472396

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 28, 2014

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

WAYNE LEIMBACH, MD, DIRECTOR
OKLAHOMA HEART INSTITUTE
1265 SOUTH UTICA AVENUE, SUITE 300
TULSA, OK 74104
CLIA ID# 37D0473669

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: April 2, 2014
REASON: Condition Level Non-Compliance with IJ
STATUS: Compliance Achieved; Certificate Reinstated

BRYCE BLISS M.D., DIRECTOR
EPIC MEDICAL CENTER
ONE HOSPITAL DRIVE
EUFAULA, OK 74432
CLIA ID# 37D0475165

SANCTION: Directed Plan of Correction (DPOC)
EFFECTIVE DATE: November 18, 2014
REASON: Condition Level Non-Compliance with IJ
STATUS: Compliance Achieved

T DARVIN, DIRECTOR

STROUD REGIONAL MEDICAL CENTER

2308 HIGHWAY 66 WEST

STROUD, OK 74079

CLIA ID# 37D0656682

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 31, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

GUS CANADAY JR, DIRECTOR

GREEN COUNTRY FAMILY CLINIC, LLC

1312 S GARNETT RD, STE E

TULSA, OK 74128

CLIA ID# 37D1045630

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: June 17, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

CAREY FRIX, DIRECTOR
FRIX JENNINGS CLINIC
1700 W MARKET ST STE H
BOLIVAR, TN 38008
CLIA ID# 44D2011394

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 23, 2014
November 10, 2014

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved
Appeal Filed By Laboratory

KEVIN HOMER, DIRECTOR
TEXAS HEALTH HUGULEY, INC
DBA TEXAS HEALTH HUGULEY FORT WORTH SOUTH
11801 SOUTH FREEWAY
FORT WORTH, TX 76134
CLIA ID# 45D0052500

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 18, 2014
December 18, 2014

REASON: Condition Level Non-Compliance
Improper PT Testing Referral Activities

STATUS: Compliance Achieved

JAMES I. DUFF, DIRECTOR

STEPHENS MEMORIAL HOSPITAL

200 SOUTH GENEVA ST

BRECKENRIDGE, TX 76424

CLIA ID# 45D0484993

SANCTION: Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: November 10, 2014

REASON: Unsuccessful PT
Condition Level Non – Compliance; Non - IJ

LEONARD GIETZ, DIRECTOR

REGIONAL MEDICAL LABORATORY

2110 NORTH NAVARRO

VICTORIA, TX 77901

CLIA ID# 45D0498740

SANCTION: Civil Money Penalty

EFFECTIVE DATE: January 17, 2014

REASON: Condition Level Non-Compliance
Failure to Correct Deficiencies

STATUS: Compliance Achieved

TANYA RACKLEY, DIRECTOR

CHILDREN'S HOSPITAL OF SAN ANTONIO PHYSICIAN GROUP DBA NW PEDIATRICS ASSOCIATES

7007 BANDERA RD #19

SAN ANTONIO, TX 78238

CLIA ID# 45D0502014

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 19, 2014

REASON: Condition Level Non-Compliance

STATUS: Laboratory voluntarily Ceased Testing

The laboratory changed their certificate type to a Certificate of Waiver and ceased all moderate complexity testing.

REYNALDO GARZA, DIRECTOR

UVALDE FAMILY PRACTICE ASSOCIATION

1800 GARNER FIELD RD

UVALDE, TX 78801

CLIA ID# 45D0506268

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 18, 2014

REASON: Condition Level Non-Compliance with IJ
Failure To Submit Acceptable POC or AOC

STATUS: Compliance Achieved

RONNIE DEAL, DIRECTOR
KNOX COUNTY HOSPITAL LABORATORY
701 SOUTH 5TH STREET
KNOX CITY, TX 79529
CLIA ID# 45D0660755

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 4, 2014

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

GONZALO GARCIA, DIRECTOR
LAS COLINAS OB GYN INFERTILITY ASSN
3501 NORTH MACARTHUR BLVD,SUITE 350
IRVING, TX 75062
CLIA ID# 45D0694234

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 19, 2014

REASON: Condition Level Non-Compliance with IJ
Failure to Correct Deficiencies
Failure To Submit Acceptable POC or AOC

STATUS: Laboratory voluntarily Ceased Testing
Requested to change certificate types to a Certificate of Waiver

MARK BUCKNER, DIRECTOR

ONE MEDICAL

913 COTTONWOOD DR

SHERMAN, TX 75090

CLIA ID# 45D0707143

SANCTION: Civil Money Penalty
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 6, 2014
April 23, 2014

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing
Laboratory changed their certificate to a Certificate of Waiver

GONZALO URIBE-BOTERO M.D., DIRECTOR

ACADEMIC INSTITUTE OF PATHOLOGY

5420 BELLAIRE BOULEVARD SUITE B

BELLAIRE, TX 77401

CLIA ID# 45D0722508

SANCTION: Suspension of All of Medicare/Medicaid

EFFECTIVE DATE: February 11, 2014

REASON: Condition Level Non-Compliance with IJ
Improper PT Testing Referral Activities

STATUS: Revocation Pending Hearing
Appeal Filed By Laboratory

BRUCE WARDLAY, DIRECTOR
OAKCLIFF MEDICAL TREATMENT CLINIC
1401 W JEFFERSON BLVD
DALLAS, TX 75208
CLIA ID# 45D0938746

SANCTION: Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: February 7, 2014

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Compliance Achieved

KATHERINE BOYD, DIRECTOR
INFINITY WOMENS HEALTH CARE INC
2301 S HAMPTON ROAD,SUITE 200
DALLAS, TX 75224
CLIA ID# 45D0939409

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 19, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

NORMA CAVAZOS SALAS, DIRECTOR
LA JOYAS NEIGHBORHOOD DOCTOR
DR NORMA CAVAZOS-SALAS AND ASSOCIATES
2121 E GRIFFIN PARKWAY #6
MISSION, TX 78572
CLIA ID# 45D0946516

SANCTION: Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: April 16, 2014

REASON: Condition Level Non-Compliance
Unsuccessful PT

STATUS: Compliance Achieved

MARK E. QUIRING, DIRECTOR
MARK E. QUIRING, MD PA
305 WEST 20TH STREET
MOUNT PLEASANT, TX 75455
CLIA ID# 45D0947926

SANCTION: Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: July 7, 2014

REASON: Unsuccessful PT

STATUS: Compliance Achieved

JACOBO GOLDBERG, DIRECTOR
PEDIATRICS OF SOUTHWEST HOUSTON, PA
6700 WEST LOOP S, SUITE #300
BELLAIRE, TX 77401
CLIA ID# 45D0971635

SANCTION: Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: November 10, 2014

REASON: Cancellation of Medicare Approval Suspension
Condition Level Non-Compliance
Unsuccessful PT

STATUS: Laboratory voluntarily Ceased Testing
The laboratory opted to change to a PPMP certificate.

MARIA BONUEL-SILVERIO, DIRECTOR
M T B SILVERIO PEDIATRICS PA
145 UPTOWN AVE
BROWNSVILLE, TX 78520
CLIA ID# 45D1026975

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 18, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

OANH N. BUI, DIRECTOR
CYPRESS OB GYN
10680 JONES RD STE 600
HOUSTON, TX 77065
CLIA ID# 45D1050724

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 23, 2014

REASON: Condition Level Non – Compliance; Non - IJ

ATILLIO ABRUE, DIRECTOR
TOP CARE MEDICAL
5334 ROSS AVE, SUITE 900
IRVING, TX 75039
CLIA ID# 45D1075923

SANCTION: Civil Money Penalty (CMP)

EFFECTIVE DATE: December 24, 2014

REASON: Condition Level Non – Compliance with IJ

OSCAR MANGINI, DIRECTOR

MED CENTER LABS

3201 CHERRY RIDGE DRIVE SUITE B-211

SAN ANTONIO, TX 78230

CLIA ID# 45D1096580

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: October 3, 2014

REASON: Condition Level Non-Compliance
Failure to Correct Deficiencies

STATUS: Compliance Achieved

ARTURO MENDIETTA, DIRECTOR

TEXAS INTERNAL MEDICINE AND DIAGNOSTIC CENTER

4502 N LAURENT ST

VICTORIA, TX 77901

CLIA ID# 45D2000387

SANCTION: Suspension, Limitation of Part of Medicare/Medicaid (2014)

EFFECTIVE DATE: January 17, 2014

October 24, 2014

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

HARVEY RESNICK, DIRECTOR
STEPHEN F AUSTIN COMM HEALTH CTR
905 N GULF BLVD
FREEPORT, TX 77541
CLIA ID# 45D2000439

SANCTION: Directed Portion of Plan of Correction

EFFECTIVE DATE: September 19, 2014

REASON: Condition Level Non-Compliance with IJ
Failure To Submit Acceptable POC or AOC

STATUS: Laboratory voluntarily Ceased Testing
The Laboratory changed to a Certificate of Waiver

PAUL ALLEYNE, DIRECTOR
BELLAIRE EMERGENCY CENTER
DBA NEIGHBORS EMERGENCY CENTER
6030 SOUTH RICE AVE SUITE C
HOUSTON, TX 77081
CLIA ID# 45D2023652

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 23, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

OSCAR BENAVIDES, DIRECTOR
ZAPATA FAMILY MEDICAL CENTER
2329 STOP 23 B 801 US HIGHWAY 83
ZAPATA, TX 78076
CLIA ID# 45D2033214

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 28, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Laboratory voluntarily Ceased Testing

Laboratory did not correct citations, but submitted a letter to close the laboratory..

DAVID SEVERANCE, DIRECTOR
WICHITA FALLS EMPLOYEE CENTER-RM,412
1700 THIRD STREET
WICHITA FALLS, TX 76301
CLIA ID# 45D2049054

SANCTION: Civil Money Penalty

EFFECTIVE DATE: August 15, 2014

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

Appeal Filed By Laboratory

ROBERT NEWBERRY M.D., DIRECTOR
TURTLE CREEK MEDICAL CENTER
3131 TURTLE CREEK BLVD, SUITE 1101
DALLAS, TX 75219
CLIA ID# 45D2050359

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 19, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Laboratory voluntarily Ceased Testing
Laboratory closed.

FRANCISCO ARREDONDO, DIRECTOR
REPRODUCTIVE MEDICINE ASSOCIATES MEDICAL CENTER OF TEXAS
4330 MEDICAL DRIVE, SUITE 200
SAN ANTONIO, TX 78229
CLIA ID# 45D2054087

SANCTION: Civil Money Penalty

EFFECTIVE DATE: December 24, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

ALI KHAN MD, DIRECTOR
ALI KHAN MD
2 HARTMAN PLAZA
BUCKHANNON, WV 26201
CLIA ID# 51D1095188

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 13, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Suspension And Limitation Lifted

As of May 14, 2014 Laboratory Changed to Certificate of Waiver.

GOTTFRIED KELLERMAN PH.D., DIRECTOR
PHARMASAN LABS, INC
375 280TH ST BLDG A
OSCEOLA, WI 54020
CLIA ID# 52D0914898

SANCTION: Civil Money Penalty

EFFECTIVE DATE: April 25, 2014

REASON: Condition Level Non-Compliance with IJ

STATUS: Compliance Achieved

Alternate sanction of CMP imposed lab paid and compliance has been achieved.

5. LABORATORIES WHOSE ACCREDITATION HAS BEEN WITHDRAWN OR REVOKED AND THE REASON FOR THE WITHDRAWAL OR REVOCATION. (INCLUDES ALL OTHER ADVERSE ACTIONS TAKEN BY THE ACCREDITATION ORGANIZATIONS)

JAMES SULLIVAN, DIRECTOR

PARKWAY MEDICAL CENTER

1160 HUFFMAN ROAD

BIRMINGHAM, AL 35215

CLIA ID# 01D0300759 **COLA**

SANCTION: Cease Testing for Creatine Kinase (CK)

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Testing for Creatine Kinase (CK) on 10/31/2014.

SUSANNE MATTHEWS MD, DIRECTOR

METRO PEDIATRICS PC

401 VALLEY AVENUE

BIRMINGHAM, AL 35209

CLIA ID# 01D0300948 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: March 26, 2014

REASON: Failure to Adhere to COLA Imposed Required Improvements.

STATUS: As of March 26, 2014 Laboratory No Longer Accredited by COLA.

GEORGE ASTIN MD, DIRECTOR
AMERICAN FAMILY CARE INC-MOBILE
900 MONTLIMAR DRIVE
MOBILE, AL 36609
CLIA ID# 01D0305899 **COLA**

SANCTION: Cease Testing for Urinary Sediment Microscopic Elements

EFFECTIVE DATE: October 27, 2014

REASON: Unsuccessful PT

STATUS: On November 24, 2014 the Laboratory Ceased & Removed Urinary Sediment Microscopic Elements Testing From Their Test Menu.

HARRY BARNES MD, DIRECTOR
MONTGOMERY CANCER CENTER
4145 CARMICHAEL ROAD
MONTGOMERY, AL 36106
CLIA ID# 01D0669034 **COLA**

SANCTION: Cease Testing for Digoxin & Phenytoin

EFFECTIVE DATE: July 16, 2014

REASON: Unsuccessful PT

STATUS: On August 13, 2014 the Laboratory Removed Digoxin & Phenytoin From Their Laboratory Test Menu.

WILLIAM SALISKI, DIRECTOR
BAPTIST MED CTR EAST RESPIRATORY
400 TAYLOR ROAD
MONTGOMERY, AL 36117
CLIA ID# 01D0719198 **CAP**

SANCTION: Cease Testing for pO2

EFFECTIVE DATE: December 1, 2014

REASON: Unsuccessful PT

STATUS: On December 12, 2014 Laboratory Allowed to Resume Testing For pO2

GEORGE ASTIN MD, DIRECTOR
AMERICAN FAMILY CARE INC-DAPHNE
6631 PARK DRIVE
DAPHNE, AL 36526
CLIA ID# 01D0865282 **COLA**

SANCTION: Cease Testing for Urinary Microscopic Elements Sediment

EFFECTIVE DATE: October 27, 2014

REASON: Unsuccessful PT

STATUS: On November 24, 2014 the Laboratory Ceased & Removed Urinary Sediment Microscopic Elements Testing From Their Test Menu.

TIMOTHY BARROWMAN MD, DIRECTOR

COMMUNITY HOSPITAL LABORATORY

805 FRIENDSHIP ROAD

TALLASSEE, AL 36078

CLIA ID# 01D0892266 **COLA**

SANCTION: Cease Testing for Rotavirus

EFFECTIVE DATE: May 23, 2014

REASON: Unsuccessful PT

STATUS: On June 4, 2014 Laboratory Ceased & Removed Rotavirus Testing from Their Test Menu.

LAWRENCE LAWSON, JR MD, DIRECTOR

MIDNIGHT SUN ONCOLOGY

2490 SOUTH WOODWORTH LP, STE 499

PALMER, AK 99645

CLIA ID# 02D1087950 **COLA**

SANCTION: Cease Testing for Magnesium & Lactate Dehydrogenase (LDH)

EFFECTIVE DATE: July 15, 2014

REASON: Unsuccessful PT

STATUS: On August 4, 2014 the Laboratory Ceased & Removed Magnesium & Lactate Dehydrogenase (LDH) Testing from Their Test Menu

SAFEDIN BEQAJ, DIRECTOR

GILBERT HOSPITAL

5656 S POWER RD

GILBERT, AZ 85295

CLIA ID# 03D1049105 **CAP**

SANCTION: Probation

EFFECTIVE DATE: December 9, 2014

REASON: Failure To Submit Acceptable POC or AOC

STATUS: As of February 12, 2015 Laboratory Probation Still In Effect.

HAMDY MOHTASEB, DIRECTOR

HEMATOLOGY ONCOLOGY ASSOC OF NORTH JERSEY, LLC

1755 AIRWAY AVE

KINGMAN, AZ 86409

CLIA ID# 03D1105892 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: August 21, 2014

REASON: Failure to Adhere to COLA Imposed Required Improvements.

STATUS: As of August 21, 2014 Laboratory No Longer Accredited by COLA.

STEVEN JACOBS MD, DIRECTOR
BEDFORD HEALTH ASSOCIATES
9001 WILSHIRE STE 200
BEVERLY HILLS, CA 90211
CLIA ID# 05D0543663 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: December 18, 2014

REASON: Failure to Adhere to COLA's Imposed Required Improvements.

STATUS: Laboratory No Longer Accredited by COLA.

MICHAEL VAN SCOY MOSHER MD, DIRECTOR
VAN SCOY MOSHER MILLER
8631 W 3RD ST STE 600E
LOS ANGELES, CA 90048
CLIA ID# 05D0544563 **COLA**

SANCTION: Cease Testing for Red Blood Count

EFFECTIVE DATE: January 14, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Testing for Red Blood Cell Count on September 10, 2014.

KEN HONBO, DIRECTOR

KEN S HONBO MD/ARASH NOURPARVAR MD

16311 VENTURA BLVD SUITE #880

ENCINO, CA 91436

CLIA ID# 05D0560960 **COLA**

SANCTION: Cease Testing for Sodium

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Testing for Sodium on December 4, 2014.

KOUSHAN SIAMI-NAMINI, DIRECTOR

EISENHOWER MEDICAL CENTER PULM SVCS BLOOD GAS

39000 BOB HOPE DR

RANCHO MIRAGE, CA 92270

CLIA ID# 05D0572738 **CAP**

SANCTION: Probation

EFFECTIVE DATE: August 26, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of February 12, 2015 Laboratory Probation Still In Effect.

ALFREDO ASUNCION JR, DIRECTOR

QUEST DIAGNOSTICS INC

ATTN QA DEPT

967 MABURY ROAD

SAN JOSE, CA 95133

CLIA ID# 05D0608832 **CAP**

SANCTION: Probation

EFFECTIVE DATE: December 23, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of February 12, 2015 Probation Still In Effect.

MICHAEL WENSLEY, DIRECTOR

MICHAEL KEITH WENSLEY, MD INC

1503 SOUTH COAST DRIVE SUITE #111

COSTA MESA, CA 92626

CLIA ID# 05D0957436 **COLA**

SANCTION: Cease Testing for Creatinine & Carbon Dioxide (CO2).

EFFECTIVE DATE: August 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Creatinine & Carbon Dioxide (CO2)
Still in Effect.

RAYMOND CHANG MD, DIRECTOR
SOUTH COUNTY KIDNEY & ENDOCRINE CENTER
23331 EL TORO ROAD STE 102
LAKE FOREST, CA 92630
CLIA ID# 05D1040918 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: October 23, 2014

REASON: Failure to Adhere to COLA's Imposed Required Improvements.

STATUS: On October 23, 2014 Laboratory No Longer Accredited by COLA.

JEANNE ANNE BREEN, DIRECTOR
UNIVERSITY OF COLORADO
ANSCHUTZ HEALTH & WELLNESS CENTER
12348 E MONTVIEW BLVD MAILSTOP C263
AURORA, CO 80045
CLIA ID# 06D1105969 **CAP**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: May 27, 2014

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation.

STATUS: As of February 12, 2015 Laboratory Not Accredited by CAP.

WILLIAM FREDERICK, DIRECTOR
ST MARYS HOSP LAB/DR WILLIAM FREDERICK
56 FRANKLIN STREET
WATERBURY, CT 06706
CLIA ID# 07D0099891 **CAP**

SANCTION: Cease Testing for IgM & IgG

EFFECTIVE DATE: November 11, 2014

REASON: Unsuccessful PT

STATUS: As Of February 10, 2015 Cease Testing For IgM and IgG Still In Effect.

BRIAN PECK MD, DIRECTOR
ARTHRITIS CENTER OF CONNECTICUT
RHEUMATOLOGY DIVISION
1389 W MAIN ST STE 120
WATERBURY, CT 06708
CLIA ID# 07D0100055 **COLA**

SANCTION: Cease Testing for WBC; Cease Testing for Hemoglobin

EFFECTIVE DATE: January 14, 2014; July 2, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Still in Effect.
On September 3, 2014 Laboratory Removed Hemoglobin Testing From Their Test
Menu.

HOWARD BENNETT, DIRECTOR
CHEVY CHASE PEDIATRIC CENTER
5225 CONNECTICUT AVENUE NW
WASHINGTON, DC 20015
CLIA ID# 09D0208341 **COLA**

SANCTION: Cease Testing for White Blood Cell Count (WBC)

EFFECTIVE DATE: May 14, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Count Still in Effect.

LEONARD WALDENBERGER, DIRECTOR
CAPITAL REGIONAL MEDICAL GROUP
2770 CAPITAL MEDICAL BLVD #200
TALLAHASSEE, FL 32308
CLIA ID# 10D0270207 **COLA**

SANCTION: Cease Testing for Creatinine

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Creatinine Still in Effect.

RONALD GIFFLER, DIRECTOR
HENDRY REGIONAL MEDICAL CENTER CLINICAL LABORATORY
524 W SAGAMORE AVE
CLEWISTON, FL 33440
CLIA ID# 10D0287885 **CAP**

SANCTION: Probation

EFFECTIVE DATE: January 28, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: Laboratory Removed From Probation On September 30, 2014.

MICHAEL WEITZ, DIRECTOR
WEITZ & RITTER MD PA
7190 SW 87TH AVE STE 304
MIAMI, FL 33173
CLIA ID# 10D0672283 **COLA**

SANCTION: Cease Testing for Triglycerides

EFFECTIVE DATE: July 23, 2014

REASON: Unsuccessful PT

STATUS: On December 15, 2014 Laboratory Removed Triglycerides Test from Their Test Menu.

CARLOS RUIZ, DIRECTOR

EXPRESS CARE OF BELLEVIEW LLC

10762 S US HWY 441

BELLEVIEW, FL 34420

CLIA ID# 10D0921809 **COLA**

SANCTION: Cease Testing for Bile Acids

EFFECTIVE DATE: August 11, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Bile Acids Still in Effect.

DINESH KHANNA, DIRECTOR

DINESH KHANNA MD PA

1580 SANTA BARBARA BLVD

THE VILLAGES, FL 32159

CLIA ID# 10D0956954 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: May 22, 2014

REASON: Failure to Comply with Reasonable Requests of COLA.

STATUS: On May 22, 2014 Laboratory No Longer Accredited by COLA.

SAMUEL LEDERMAN, DIRECTOR
PALM BEACH OB-GYN LLC
4671 S CONGRESS AVE STE 100B
LAKE WORTH, FL 33461
CLIA ID# 10D0957609 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: December 24, 2014

REASON: Failure to Comply with Reasonable Requests of COLA.

STATUS: As of December 24 2014 Laboratory No Longer Accredited by COLA.

CELESTE HART, DIRECTOR
CELESTE B HART MD
1705 SOUTH ADAMS STREET
TALLAHASSEE, FL 32301
CLIA ID# 10D0961813 **COLA**

SANCTION: Cease Testing for Urine Creatinine & Urine Microalbumin

EFFECTIVE DATE: March 27, 2014

REASON: Unsuccessful PT

STATUS: On April 5, 2014 Laboratory Ceased & Removed Urine Creatinine & Urine
Microalbumin Testing from Their Test Menu.

NOOR MERCHANT, DIRECTOR
FLORIDA CANCER SPECIALISTS
13060 US HWY 1 STE A
SEBASTIAN, FL 32958
CLIA ID# 10D1028665 **COLA**

SANCTION: Cease Testing for Cholesterol

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: On October 13, 2014 Laboratory Ceased & Removed Testing for Cholesterol
from Their Test Menu.

JACK GAY, DIRECTOR
ALLIED PATHOLOGY LAB
610 W MLK BLVD
TAMPA, FL 33603
CLIA ID# 10D1036066 **CAP**

SANCTION: Revocation of Accreditation

EFFECTIVE DATE: June 4, 2014

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation.

STATUS: As of February 12, 2015 Laboratory Not Longer Accredited by CAP.

BRUNO DIPASQUALE, DIRECTOR
PHYSICIANS REGIONAL MEDICAL CENTER COLLIER BLVD
COLLIER BLVD
8300 COLLIER BLVD
NAPLES, FL 34114
CLIA ID# 10D1063596 **CAP**

SANCTION: Cease Testing for T3 Uptake/Related Tests

EFFECTIVE DATE: June 10, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume T3 Uptake/Related Test Testing on July 22, 2014.

JOHN IM M.D., DIRECTOR
EXCEPTIONAL URGENT CARE CENTER I INC
11950 CR 101 STE 101
THE VILLAGES, FL 32162
CLIA ID# 10D1101169 **COLA**

SANCTION: Cease Testing for Routine Hematology, WBC (Diff), WBC, RBC, Hemoglobin, Hematocrit, Platelet Count

EFFECTIVE DATE: January 14, 2014

REASON: Unsuccessful PT

STATUS: On April 14, 2014 Laboratory Ceased & Removed Routine Hematology, WBC (Diff), WBC, RBC, Hemoglobin, Hematocrit, Platelet Count Testing from Their Test Menu.

DAVID RUGGIERI M.D., DIRECTOR
CENTER FOR HEALTH OF CHARLOTTE PA
1107 W MARION AVE STE 116
PUNTA GORDA, FL 33950
CLIA ID# 10D1102530 **COLA**

SANCTION: Cease Testing for Hemoglobin

EFFECTIVE DATE: January 14, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Hemoglobin Testing on September 8, 2014.

ELVIRA BARROSA-VICENS, DIRECTOR
FLORIDA MEDICAL PAIN MANAGEMENT LLC
6333 54TH AVE N
SAINT PETERSBURG, FL 33709
CLIA ID# 10D1104848 **COLA**

SANCTION: Cease Testing for Drugs of Abuse

EFFECTIVE DATE: August 20, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Amphetamines, Barbiturates, Benzodiazepines, Cannabinoids, Cocaine Metabolites, Methadone, Phencyclidine, Opiates, Propoxyphene, Oxycodone, Alcohol (urine) Still in Effect.

MARIO MASSERANO, DIRECTOR

MARIO MASSERANO MD PA

1015 MIRAMAR DR

DELRAY BEACH, FL 33483

CLIA ID# 10D2004714 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: March 27, 2014

REASON: Failure to Adhere to COLA's Imposed Required Improvements.

STATUS: As of March 27, 2014 Laboratory No Longer Accredited By COLA.

ALINA BUDEJEN, DIRECTOR

NATIONAL CARE LABORATORIES LLC

2750 W 68TH STE STE 224-A

HIALEAH, FL 33016

CLIA ID# 10D2046098 **COLA**

SANCTION: Cease Testing for HCG, Thyroxine (T4), Thyroid Stimulating Hormone (TSH)

EFFECTIVE DATE: July 23, 2014

REASON: Unsuccessful PT

STATUS: On October 23, 2014 Laboratory Voluntarily Withdrew from COLA.
Laboratory is No Longer Accredited by COLA.

ISAAC LEVY, DIRECTOR
ISAAC LEVY MD PA
9937 PINES BLVD
PEMBROKE PINES, FL 33024
CLIA ID# 10D2048350 **COLA**

SANCTION: Cease Testing for WBC Diff, WBC, RBC, Hemoglobin, Hematocrit & Platelet Count.

EFFECTIVE DATE: October 6, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Diff, WBC, RBC, Hemoglobin, Hematocrit & Platelet Count Still in Effect.

D DELAY, DIRECTOR
DALTON FAMILY PRACTICE PC
1114 PROFESSIONAL BLVD
DALTON, GA 30720
CLIA ID# 11D0262360 **COLA**

SANCTION: Cease Testing for WBC Differential

EFFECTIVE DATE: January 14, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Differential Still in Effect.

MARK POOL MD, DIRECTOR
RIVERSIDE MEDICAL CENTER
350 N WALL ST
KANKAKEE, IL 60901
CLIA ID# 14D0043957 **CAP**

SANCTION: Probation

EFFECTIVE DATE: March 11, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: Laboratory Removed from Probation on January 13, 2015.

VICKIE REZAI M.D., DIRECTOR
COMMUNITY FIRST MEDICAL CENTER
COMMUNITY FIRST HEALTHCARE OF ILLINOIS INC DBA
5645 W ADDISON ST
CHICAGO, IL 60634
CLIA ID# 14D0426601 **CAP**

SANCTION: Cease Testing for pO2

EFFECTIVE DATE: January 7, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for pO2 on January 13, 2014.

ANDREW VANDERHEYDEN M D, DIRECTOR

MIDWEST MEDICAL CENTER

ONE MEDICAL CENTER DRIVE

GALENA, IL 61036

CLIA ID# 14D0429720 **COLA**

SANCTION: Cease Testing for Micro/Bacteriology

EFFECTIVE DATE: August 4, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Micro/Bacteriology Still in Effect.

RONALD CHAMPAGNE M D, DIRECTOR

GRAHAM HOSPITAL ASSOCIATION LABORATORY

210 W WALNUT ST

CANTON, IL 61520

CLIA ID# 14D0431497 **CAP**

SANCTION: Cease Testing for Urea Nitrogen

EFFECTIVE DATE: June 10, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for Urea Nitrogen on June 20, 2014.

JOHN DIETRICH MD, DIRECTOR
GREENVILLE REGIONAL HOSPITAL
200 HEALTHCARE DR
GREENVILLE, IL 62246
CLIA ID# 14D0726153 **AOA**

SANCTION: Cease Testing for HCG

EFFECTIVE DATE: October 21, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Testing for HCG on October 23, 2014.

W MARC BOYD JR D O, DIRECTOR
BOYD OBSTETRICS & GYNECOLOGY SC
900 MAIN STREET, SUITE 660
PEORIA, IL 61602
CLIA ID# 14D0888129 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: March 26, 2014

REASON: Failure to Adhere to COLA Imposed Required Improvements.

STATUS: On March 26, 2014 Laboratory No Longer Accredited by COLA.

SHAHID MASOOD MD, DIRECTOR
INTERNAL MEDICINE/FAMILY PRACTICE INC
1719 GLENWOOD AVENUE
JOLIET, IL 60435
CLIA ID# 14D0937860 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: April 23, 2014

REASON: Failure to Comply with Reasonable Requests of COLA.

STATUS: As of April 23, 2014 Laboratory No Longer Accredited by COLA.

SUE STRAYER MD, DIRECTOR
ST MARYS HOSPITAL
1800 E LAKE SHORE DRIVE
DECATUR, IL 62521
CLIA ID# 14D0982049 **CAP**

SANCTION: Cease Testing for Hemoglobin

EFFECTIVE DATE: October 1, 2014

REASON: Unsuccessful PT

STATUS: As of February 10, 2015 Cease Testing for Hemoglobin Still in Effect.

ENRIQUE ARANA MD, DIRECTOR
FULLERTON-KIMBALL MEDICAL SURGICAL CTR
3412 W FULLERTON AVE
CHICAGO, IL 60647
CLIA ID# 14D1047993 **COLA**

SANCTION: Cease Testing for Activated Partial Thromboplastin Time (APTT) &
Prothrombin Time (PT); Cease Testing for Alkaline Phosphate (ALP)

EFFECTIVE DATE: January 14, 2014; September 19, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Testing for APTT on September 10, 2014.
As of December 31, 2014 Cease Testing for PT & ALP Still in Effect.

MORUFU ALAUSA MD, DIRECTOR
KIDNEY CARE CENTER (D/B/A)
GERMANE NEPHROLOGY ASSOCIATES
812 CAMPUS DR
JOLIET, IL 60435
CLIA ID# 14D1050390 **COLA**

SANCTION: Cease Testing for WBC Diff, White Blood Cell, Red Blood Cell, Hemoglobin,
Hematocrit & Platelet Count.

EFFECTIVE DATE: January 9, 2014

REASON: Unsuccessful PT

STATUS: On September 10, 2014 Laboratory Resumed Testing for WBC Diff,
White Blood Cell, Red Blood Cell, Hemoglobin, Hematocrit & Platelet Count.

KELLY BROWN, DIRECTOR
CLARK MEMORIAL HOSPITAL
1220 MISSOURI AVE
JEFFERSONVILLE, IN 47130
CLIA ID# 15D0359333 **CAP**

SANCTION: Cease Testing for pO2

EFFECTIVE DATE: August 4, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for pO2 as of August 12, 2014.

GABOR TOLNAY, DIRECTOR
FAYETTE REGIONAL HEALTH SYSTEM
1941 VIRGINIA AVE
CONNERSVILLE, IN 47331
CLIA ID# 15D0360197 **CAP**

SANCTION: Cease Testing for Albumin

EFFECTIVE DATE: June 10, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for Albumin on June 27, 2014.
Laboratory Accreditation Terminated Due to Voluntary Withdrawal from
Accreditation Program on November 10, 2014.

DELYNN ELZEY, DIRECTOR
REDIMED HUNTINGTON
1415 FLAXMILL RD
HUNTINGTON, IN 46750
CLIA ID# 15D0954787 **COLA**

SANCTION: Cease Testing for Hematocrit

EFFECTIVE DATE: May 14, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Testing for Hematocrit on December 29, 2014.

JAMIE PORTER MD, DIRECTOR
ATCHISON HOSPITAL LABORATORY
800 RAVEN HILL DRIVE
ATCHISON, KS 66002
CLIA ID# 17D0448073 **AOA**

SANCTION: Cease Testing for PSA

EFFECTIVE DATE: February 17, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Testing for PSA on April 17, 2014.

INDIRA VADLAMANI, DIRECTOR

MINIMALLY INVASIVE SURGERY HOSPITAL

11217 LAKEVIEW AVE

LENEXA, KS 66219

CLIA ID# 17D1040144 **COLA**

SANCTION: Cease Testing for pCO2

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for pCO2 Still in Effect.

SALVATORE CILIBERTI MD, DIRECTOR

GREATER LOUISVILLE INTERNAL MEDICINE PSC

250 E LIBERTY STREET STE 410

LOUISVILLE, KY 40202

CLIA ID# 18D0320824 **COLA**

SANCTION: Cease Testing for Sodium & Chloride

EFFECTIVE DATE: March 19, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resume Testing for Sodium & Chloride on September 19, 2014.

LOUIS SARDENGA M.D., DIRECTOR

HOMER MEMORIAL HOSPITAL

620 EAST COLLEGE STREET

HOMER, LA 71040

CLIA ID# 19D0463216 **COLA**

SANCTION: Cease Testing for Ammonia (Plasma/Serum)

EFFECTIVE DATE: March 17, 2014

REASON: Unsuccessful PT

STATUS: On April 2, 2014 Laboratory Ceased & Removed Ammonia (Plasma/Serum)
Testing from Their Test Menu.

DOUGLAS MEHAFFIE, DIRECTOR

WESTBANK URGENT CARE

148 WALL BLVD

GRETNA, LA 70056

CLIA ID# 19D1029161 **COLA**

SANCTION: Cease Testing for Platelet Count

EFFECTIVE DATE: July 2, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Platelet Count Still in Effect.

OTIS BARNUM D.O., DIRECTOR

NATCHITOCHEs MEDICAL SPECIALISTS

1029 KEYSER AVENUE

NATCHITOCHEs, LA 71457

CLIA ID# 19D2002311 **COLA**

SANCTION: Cease Testing for Urea (BUN), Triglyceride, Total Protein, Sodium, Potassium, Magnesium, Iron, Glucose, Creatinine, HDL Cholesterol, Cholesterol, Chloride, Calcium, Total Bilirubin, Aspartate Aminotransferase (AST/SGOT), Alkaline Phosphatase (ALP), Albumin, Alanine Aminotransferase (ALT/SGPT).

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing For Above Analytes Still in Effect:

JEFFREY MILUNSKY, DIRECTOR

CENTER FOR HUMAN GENETICS INC

840 MEMORIAL DRIVE

CAMBRIDGE, MA 02139

CLIA ID# 22D0650242 **CAP**

SANCTION: Probation

EFFECTIVE DATE: January 1, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: Laboratory Removed from Probation on July 22, 2014.

MAGDY SALAMA, DIRECTOR
NASHOBA VALLEY MEDICAL CENTER, A STEWARD FAMILY
HOSPITAL, INC
200 GROTON ROAD
AYER, MA 01432
CLIA ID# 22D2023930 **CAP**

SANCTION: Probation

EFFECTIVE DATE: May 13, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: Laboratory Removed from Probation on January 27, 2015.

SAIMA KHAN M.D., DIRECTOR
FAMILY PRACTICE CARE PLLC
28351 SCHOENHERR ROAD
WARREN, MI 48088
CLIA ID# 23D0365545 **COLA**

SANCTION: Cease Testing for Potassium

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Potassium Still in Effect.

JOEL SAPER, DIRECTOR

MICHIGAN HEAD PAIN NEUROLOGICAL INSTI

3120 PROFESSIONAL DRIVE

ANN ARBOR, MI 48104

CLIA ID# 23D0367039 **COLA**

SANCTION: Cease Testing for Urea (BUN)

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resume Testing for Urea (BUN) on November 10, 2014.

SUSAN HAROLD, DIRECTOR

SUSAN E HAROLD MD

6001 W OUTER DR SUITE #429

DETROIT, MI 48235

CLIA ID# 23D0370708 **COLA**

SANCTION: Cease Testing for Red Blood Cell (RBC) Count

EFFECTIVE DATE: July 2, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for RBC Count Still in Effect.

JAMES BURTKA, DIRECTOR
STERLING PHYSICIANS
36040 DEQUINDRE
STERLING HEIGHTS, MI 48310
CLIA ID# 23D0371470 **COLA**

SANCTION: Cease Testing for Urea (BUN)

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: On October 14, 2014 The Laboratory Voluntarily Withdrew From COLA.
Laboratory No Longer Accredited by COLA.

ROGER BLACK, DIRECTOR
GENESEE HEMATOLOGY ONCOLOGY PC
302 KENSINGTON AVENUE
FLINT, MI 48503
CLIA ID# 23D0671792 **COLA**

SANCTION: Cease Testing for Hematocrit

EFFECTIVE DATE: December 5, 2014

REASON: Unsuccessful PT

STATUS: On December 16, 2014 the Laboratory Voluntarily Withdrew from COLA.
Laboratory is No Longer Accredited by COLA.

SHILPA RUNGTA M.D., DIRECTOR
DOCTORS HOSPITAL OF MICHIGAN
461 WEST HURON
PONTIAC, MI 48341
CLIA ID# 23D0685754 **CAP**

SANCTION: Revocation of Accreditation

EFFECTIVE DATE: December 9, 2014

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation

STATUS: As of February 12, 2015 Laboratory Not Accredited by CAP.

MICHAEL TODD MD, DIRECTOR
MAGNOLIA REGIONAL HEALTH CENTER LAB
611 ALCORN DRIVE
CORINTH, MS 38834
CLIA ID# 25D0029572 **CAP**

SANCTION: Cease Testing for Parasitology

EFFECTIVE DATE: January 7, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Parasitology Testing on November 7, 2014.

BENNY THOMAS, DIRECTOR
MEDICOM INC
DBA THOMAS MEDICAL CENTER
215 NORTH STREET
WAYNESVILLE, MO 65583
CLIA ID# 26D0447051 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: August 21, 2014

REASON: Failure to Adhere to COLA Imposed Required Improvements.

STATUS: On August 21, 2014 Laboratory No Longer Accredited by COLA.

DAVID SMID MD, DIRECTOR
COX-MONETT HOSPITAL INC
801 LINCOLN
MONETT, MO 65708
CLIA ID# 26D0447330 **CAP**

SANCTION: Probation

EFFECTIVE DATE: November 11, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of February 12, 2015 Laboratory Probation Still in Effect.

ARTHUR WELDON SCHOTT, DIRECTOR
NORTH COUNTY DIAGNOSTIC LABS
SPINNAKERS LLC
18118 CHESTERFIELD AIRPORT ROAD, SUITE N
CHESTERFIELD, MO 63005
CLIA ID# 26D2031980 **COLA**

SANCTION: Cease Testing for Toxicology

EFFECTIVE DATE: September 18, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Toxicology Still in Effect.

ROBERT BATES M.D., DIRECTOR
BLACKFEET COMMUNITY HOSPITAL LAB
760 HOSPITAL CIRCLE
BROWNING, MT 59417
CLIA ID# 27D0410108 **CAP**

SANCTION: Probation

EFFECTIVE DATE: August 12, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of February 12, 2015 Laboratory Probation Still in Effect.

JON MILLER, DIRECTOR

GLACIER MEDICAL ASSOCIATES

1111 BAKER AVENUE

WHITEFISH, MT 59937

CLIA ID# 27D0411341 **COLA**

SANCTION: Cease Testing for Respiratory Syncytial Virus (RSV)

EFFECTIVE DATE: November 11, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for RSV Testing Still in Effect.

MICHAEL BROWN, DIRECTOR

ST VINCENT HEALTHCARE

1233 NORTH 30TH STREET

BILLINGS, MT 59101

CLIA ID# 27D0652473 **CAP**

SANCTION: Cease Testing for Rheumatoid Factor, Quant

EFFECTIVE DATE: January 20, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Rheumatoid Factor Testing on February 12, 2014.

JOSEPH NICHOLAS, DIRECTOR

WINNEBAGO INDIAN HEALTH SERVICE HOSPITAL

HWY 77/75

WINNEBAGO, NE 68071

CLIA ID# 28D0453622 **CAP**

SANCTION: Revocation of Accreditation

EFFECTIVE DATE: January 14, 2014

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation

STATUS: As of February 12, 2014 Laboratory no Longer Accredited by CAP.

JAMES NELSON, DIRECTOR

COUNTRY CLINIC

P O BOX 505, 515 BOYD STREET

ELM CREEK, NE 68836

CLIA ID# 28D0455887 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: February 13, 2014

REASON: Failure to Adhere to COLA Imposed Required Improvements.

STATUS: On February 13, 2014 Laboratory No longer Accredited by COLA.

LAURA BILODEAU, DIRECTOR

NORTH VISTA HOSPITAL

1409 E LAKE MEAD BLVD

N LAS VEGAS, NV 89030

CLIA ID# 29D0537951 **CAP**

SANCTION: Cease Testing for Compatibility Testing

EFFECTIVE DATE: October 21, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Compatibility Testing on December 16, 2014.

SUSAN SHARP, DIRECTOR

COTTAGE HOSPITAL

90 SWIFTWATER RD

WOODSVILLE, NH 03785

CLIA ID# 30D0086768 **CAP**

SANCTION: Cease Testing for Bacteriology

EFFECTIVE DATE: January 20, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for Bacteriology on March 24, 2014.

HADIA ATA, DIRECTOR

DIGESTIVE DISEASE CENTER OF NJ

810 RYDERS LANE

EAST BRUNSWICK, NJ 08816

CLIA ID# 31D0940450 **CAP**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: May 13, 2014

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation

STATUS: Laboratory Reinstated on July 8, 2014; Granted Accreditation on July 23, 2014.

SAMAR SHAMI, DIRECTOR

DERMATOPATHOLOGY INSTITUTE OF NJ

225 STATE ROUTE 35 SUITE 201

RED BANK, NJ 07701

CLIA ID# 31D1064204 **CAP**

SANCTION: Revocation of Accreditation

EFFECTIVE DATE: August 27, 2014

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation

STATUS: Laboratory Reinstated on October 7, 2014;
As of February 12, 2015 Laboratory Re-Accreditation Still Pending.

JEFFREY HUSER M.D., DIRECTOR
SIERRA VISTA HOSPITAL
800 EAST 9TH STREET
TRUTH OR CONSEQUENCES, NM 87901
CLIA ID# 32D0536919 **COLA**

SANCTION: Cease Testing for Ammonia (Plasma/Serum)

EFFECTIVE DATE: December 23, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Ammonia (Plasma/Serum) Still in Effect.

BRIAN DELAHOUSSAYE MD, DIRECTOR
REHABILITATION AND OCCUPATIONAL MEDICINE
3530 FOOTHILLS SUITE N
LAS CRUCES, NM 88011
CLIA ID# 32D0879648 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: January 16, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed Testing for WBC Diff on December 15, 2014.

NORMAN ORENTREICH M.D., DIRECTOR

ORENTREICH MEDICAL GROUP LLP

855 ROUTE 301

COLD SPRING, NY 10516

CLIA ID# 33D0130750 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: February 26, 2014

REASON: Failure to Comply With Reasonable Request of COLA.

STATUS: As of February 26, 2014 Laboratory No Longer Accredited by COLA.

ONOUFRIOS GOUSSIS, DIRECTOR

O GOUSSIS, MD PC

CLINICAL ENDOCRINE LABORATORY

1010 NORTHERN BLVD, SUITE 100

GREAT NECK, NY 11021

CLIA ID# 33D0153364 **COLA**

SANCTION: Cease Testing for Free Thyroxine (T4), Thyroid Stimulating Hormone (TSH),
Cortisol, Triiodothyronine (T3)

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: On October 13, 2014 Laboratory Voluntarily Withdrew From COLA.
Laboratory No Longer Accredited by COLA.

MAGDY SHAABAN, DIRECTOR

MAGDY SHAABAN MD PC

865 MERRICK ROAD

BALDWIN, NY 11510

CLIA ID# 33D0154768 **COLA**

SANCTION: Cease Testing for White Blood Cell Count (WBC)

EFFECTIVE DATE: August 18, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Count Still in Effect.

RICHARD BLAU, DIRECTOR

RICHARD H BLAU MD-ARTHRITIS INSTITUTE

120 BETHPAGE ROAD

HICKSVILLE, NY 11801

CLIA ID# 33D0155403 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: September 18, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Diff Still in Effect.

ROBERT FARREN, DIRECTOR

ROBERT FARRON MD

2240 MOTT AVE

FAR ROCKAWAY, NY 11691

CLIA ID# 33D0155625 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: January 14, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resume Testing for WBC Diff on September 10, 2014.

RITCHIE PARROTTA, DIRECTOR

WYNANTSKILL FAMILY PRACTICE

9 WEST SAND LAKE ROAD

WYNANTSKILL, NY 12198

CLIA ID# 33D0161818 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Diff Still in Effect.

CHARLES STURGES, DIRECTOR

CHARLES E STURGES MD

175 WATER ST

CATSKILL, NY 12414

CLIA ID# 33D0162997 **COLA**

SANCTION: Cease Testing for Calcium

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Calcium Still in Effect.

BARTON COHEN, DIRECTOR

NORTH SHORE MEDICAL SPECIALITIES GROUP PC

ONE HOLLOW LANE, SUITE 312

LAKE SUCCESS, NY 11042

CLIA ID# 33D0669680 **COLA**

SANCTION: Cease Testing for Cholesterol

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Cholesterol Still in Effect.

ARNOLD WEG M.D., DIRECTOR

ARNOLD WEG MD

710 PARK AVENUE, SUITE 1C

NEW YORK, NY 10021

CLIA ID# 33D0887555 **COLA**

SANCTION: Cease Testing for Amylase

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing For Amylase Still in Effect.

SERBAN COCIOBA, DIRECTOR

WOODSIDE MEDICAL SERVICES PC

31-20 54TH STREET SUITE, L 1

WOODSIDE, NY 11377

CLIA ID# 33D0926705 **COLA**

SANCTION: Cease Testing for WBC Diff, WBC, RBC, Hemoglobin, Hematocrit, Platelets, Testosterone, CEA, PSA, Allergen Specific IgE; Denial of Accreditation

EFFECTIVE DATE: May 22, 2014

REASON: Unsuccessful PT; Failure to Adhere to COLA Imposed Required Improvements.

STATUS: As of May 22, 2014 Laboratory Denied Accreditation Due to Failure to Adhere to COLA Imposed Required Improvements – Laboratory No Longer Accredited by COLA.

VICTORIA KATZ, DIRECTOR

NY ARTHRITIS PC

1664 EAST 14TH STREET, SUITE 401

BROOKLYN, NY 11229

CLIA ID# 33D1027538 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: February 13, 2014

REASON: Failure to Comply With Reasonable Requests of COLA.

STATUS: On February 13, 2014 Laboratory No Longer Accredited by COLA.

FAUZIA PARACHA, DIRECTOR

COMPREHENSIVE BLOOD AND CANCER MEDICAL CARE PC

5109 ROUTE 9 W, SUITE 2

NEWBURGH, NY 12550

CLIA ID# 33D2002913 **COLA**

SANCTION: Ceased Testing for WBC (Diff), WBC, RBC, Hemoglobin, Hematocrit, Platelet Count on
Denial of Accreditation Due to Failure to Adhere to COLA - Imposed Required
Improvements.

EFFECTIVE DATE: May 16, 2014
October 23, 2014

REASON: Failure to Adhere to COLA - Imposed Required Improvements.

STATUS: Laboratory No Longer Accredited by COLA.
Denied Accreditation on October 23, 2014.

GEORGE NICHOLS JR, DIRECTOR
CALDWELL MEMORIAL HOSPITAL DEPT PATH & LAB MED
321 MULBERRY STREET SOUTHWEST
LENOIR, NC 28645
CLIA ID# 34D0018985 **CAP**

SANCTION: Probation

EFFECTIVE DATE: December 9, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of February 12, 2015 Probation Still in Effect.

RICKY SAWYERS DIRECTOR, DIRECTOR
HUGH CHATHAM FAMILY MEDICINE
600 CHATHAM MEDICAL PARK
ELKIN, NC 28621
CLIA ID# 34D0246915 **COLA**

SANCTION: Cease Testing for Free Thyroxine (FT4)

EFFECTIVE DATE: August 29, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Removed FT4 Testing from Their Test Menu on September 11, 2014.

MARY WEDEGAERTNER, DIRECTOR
CORNERSTONE PEDIATRIC & ADOLESCENT MEDICINE PA
97 CORNERSTONE DRIVE
CARY, NC 27519
CLIA ID# 34D0903503 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Diff Still in Effect.

JOHN POWDERLY M.D., DIRECTOR
CAROLINA BIO ONCOLOGY INSTITUTE PLLC
9801 W KINCEY AVE STE 145
HUNTERSVILLE, NC 28078
CLIA ID# 34D1044817 **CAP**

SANCTION: Revocation of Accreditation

EFFECTIVE DATE: December 9, 2014

REASON: Laboratory Performance Does Not Meet CAP Standards of Accreditation

STATUS: As of February 12, 2015 Laboratory No Longer Accredited by CAP

GODFREY FONDINKA, DIRECTOR

FAYETTEVILLE URGENT CARE

4534 RAEFORD ROAD

FAYETTEVILLE, NC 28304

CLIA ID# 34D2041919 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: September 19 2014

REASON: Unsuccessful PT

STATUS: As December 31, 2014 Cease Testing for WBC Diff Testing Still in Effect.

JEFFREY MULER M.D., DIRECTOR

PROMEDICA PHYSICIANS HEMATOLOGY/ONCOLOGY ASSOCIATES

5308 HARROUN ROAD #55

SYLVANIA, OH 43560

CLIA ID# 36D0332593 **COLA**

SANCTION: Cease Testing for Creatinine

EFFECTIVE DATE: June 4, 2014

REASON: Unsuccessful PT

STATUS: On 06/12/2014 Laboratory Ceased/Removed Testing for Creatinine From Their Test Menu. At Time of Sanction Laboratory was Located at the Following Address: 5308 Harroun Road, Suite 055, Sylvania, Ohio 43560. Currently Laboratory is Located at 8166 Douglas Road, Lambertville, Michigan 48144.

MATTHEW MACATOL, DIRECTOR
MARIETTA MEMORIAL HOSPITAL
401 MATTHEWS STREET
MARIETTA, OH 45750
CLIA ID# 36D0351244 **CAP**

SANCTION: Probation

EFFECTIVE DATE: June 10, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: Laboratory Removed from Probation on February 10, 2015.

RAFAEL NIVAR MD, DIRECTOR
LIMA MEMORIAL HEALTH SYSTEM
1001 BELLEFONTAINE AVENUE
LIMA, OH 45804
CLIA ID# 36D0351393 **CAP**

SANCTION: Cease Testing for pO2

EFFECTIVE DATE: October 20, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for pO2 on October 24, 2014.

ELIZABETH RANASINGHE, DIRECTOR
FAMILY MEDICINE & OCCUPATIONAL HEALTH CENTER INC
16500 CHAGRIN BOULEVARD SUITE 202
SHAKER HEIGHTS, OH 44120
CLIA ID# 36D0684736 **COLA**

SANCTION: Cease Testing for Total IgE

EFFECTIVE DATE: July 30, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Total IgE Still in Effect.

LINDA CHAMBERS, DIRECTOR
ADENA REGIONAL MED CTR LAB
272 HOSPITAL ROAD
CHILLICOTHE, OH 45601
CLIA ID# 36D0691403 **CAP**

SANCTION: Probation

EFFECTIVE DATE: July 22, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: Laboratory Removed from Probation on February 10, 2015.

ROBERT EVANS MD, DIRECTOR
NE CINCINNATI PEDIATRIC ASSOCIATES INC
986 BELVEDELE DR
LEBANON, OH 45036
CLIA ID# 36D0969072 **COLA**

SANCTION: Cease Testing for Platelet Count

EFFECTIVE DATE: December 5, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Platelet Count Still in Effect.

STEVEN CASNER, MD, DIRECTOR
JANE PHILLIPS NOWATA HEALTH CENTER
237 SOUTH LOCUST STREET
NOWATA, OK 74048
CLIA ID# 37D0656672 **COLA**

SANCTION: Cease Testing for Activated Partial Thromboplastin Time (APTT)

EFFECTIVE DATE: October 1, 2014

REASON: Unsuccessful PT

STATUS: On 10/17/2014 Laboratory Ceased & Removed APTT Testing from Their Test Menu.

WILLIAM THOMPSON MD, DIRECTOR
SAINT ALPHONSUS MEDICAL CENTER - ONTARIO, INC
351 SW NINTH ST
ONTARIO, OR 97914
CLIA ID# 38D0664385 **CAP**

SANCTION: Probation

EFFECTIVE DATE: February 11, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of February 12, 2015 Probation Still in Effect.

MYRA WILKERSON MD, DIRECTOR
GEISINGER-BLOOMSBURG HOSPITAL LABORATORY
549 EAST FAIR STREET
BLOOMSBURG, PA 17815
CLIA ID# 39D0189193 **CAP**

SANCTION: Cease Testing for AST and Sodium

EFFECTIVE DATE: December 1, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for AST & Sodium on December 10, 2014.

HUSAM HAMATI MD DIRECTOR, DIRECTOR
REGIONAL HOSPITAL OF SCRANTON
SCRANTON HOSPITAL COMPANY, LLC
746 JEFFERSON AVENUE
SCRANTON, PA 18510
CLIA ID# 39D0192512 **TJC**

SANCTION: Cease Testing for Sodium

EFFECTIVE DATE: March 3, 2014

REASON: Unsuccessful PT

STATUS: Reinstated on December 5, 2014.

YURI PERSIDSKY MD, DIRECTOR
TEMPLE UNIV HOSP DEPT PATH & LAB MED
3401 NORTH BROAD STREET
PHILADELPHIA, PA 19140
CLIA ID# 39D0663776 **CAP**

SANCTION: Probation

EFFECTIVE DATE: September 4, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of February 12, 2015 Laboratory Probation Still in Effect.

DAVID STRAYER MD, DIRECTOR
KCC MOLECULAR ANALYSIS LABORATORY
233 SOUTH 10TH STREET
PHILADELPHIA, PA 19107
CLIA ID# 39D2029600 **CAP**

SANCTION: Probation

EFFECTIVE DATE: November 25, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of 2/12/2015 Laboratory Probation Still in Effect.

W DWAYNE LAWRENCE MD, DIRECTOR
WOMEN & INFANTS HOSPITAL
101 DUDLEY ST
PROVIDENCE, RI 02905
CLIA ID# 41D0083902 **CAP**

SANCTION: Cease Testing for IgA

EFFECTIVE DATE: January 20, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume IgA Testing on February 28, 2014.

SAMUEL HORTON, DIRECTOR
NORTH GREENVILLE LONG TERM ACUTE CARE HOSPITAL
807 N MAIN ST
TRAVELERS REST, SC 29690
CLIA ID# 42D0253285 **CAP**

SANCTION: Cease Testing for pO2

EFFECTIVE DATE: December 1, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for pO2 on December 9, 2014.

VINAY JAGADEESHA, DIRECTOR
SIDNEY T GRIFFIN MD
105 NORTH RAILROAD AVENUE
LAMAR, SC 29069
CLIA ID# 42D0699221 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: October 23, 2014

REASON: Failure to Comply With Reasonable Requests of COLA.

STATUS: As of October 23, 2014 Laboratory No Longer Accredited by COLA.

KIM GOCOCO, MD, DIRECTOR
GHS CANCER INSTITUTE-EAST SIDE LAB
65 INTERNATIONAL DRIVE
GREENVILLE, SC 29615
CLIA ID# 42D0897468 **COLA**

SANCTION: Cease Testing for HDL and LDL Cholesterol

EFFECTIVE DATE: February 26, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased & Removed Testing for HDL & LDL Cholesterol
from Their Test Menu on March 4, 2014.

DANIEL BATES, DIRECTOR
WEST ASHLEY FAMILY MEDICINE
1481 TOBIAS GADSON BLVD, SUITE 1
CHARLESTON, SC 29407
CLIA ID# 42D0982832 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: November 26, 2014

REASON: Failure to Adhere to COLA Imposed Required Improvements.

STATUS: As of November 26, 2014 Laboratory No Longer Accredited By COLA.

BRIAN LECHER MD, DIRECTOR

FASTER CARE

3440 DECLARATION BLVD

SUMTER, SC 29150

CLIA ID# 42D1037699 **COLA**

SANCTION: Cease Testing for Alkaline Phosphatase (ALP)

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for ALP Still in Effect.

ANGELA PIERCE M.D., DIRECTOR

PROVIDENCE FAMILY MEDICINE HEATHWOOD

3930 DEVINE STREET

COLUMBIA, SC 29203

CLIA ID# 42D2028711 **COLA**

SANCTION: Cease Testing for Streptococcus Group A (Non-Waived)

EFFECTIVE DATE: March 26, 2014

REASON: Unsuccessful PT

STATUS: On April 3, 2014 Laboratory Voluntarily Ceased & Removed Streptococcus Group A (Non-Waived) Testing from Their Test Menu.

RICK SANCES, DIRECTOR

EAST TENNESSEE CHILDREN'S HOSPITAL

2018 CLINCH AVENUE

KNOXVILLE, TN 37916

CLIA ID# 44D0712520 **CAP**

SANCTION: Probation

EFFECTIVE DATE: August 12, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: Laboratory Removed from Probation on January 13, 2015.

MICHAEL SPEARS, DIRECTOR

HUNT REGIONAL MEDICAL CENTER

4215 JOE RAMSEY BOULEVARD 2ND FLOOR LABORATORY

GREENVILLE, TX 75401

CLIA ID# 45D0481878 **CAP**

SANCTION: Cease Testing for Bacteriology

EFFECTIVE DATE: April 21, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Bacteriology Testing on June 4, 2014.

PAUL GOLDMAN MD, DIRECTOR

PAUL J GOLDMAN MD

1650 WEST ROSEDALE SUITE 100

FORT WORTH, TX 76104

CLIA ID# 45D0485903 **COLA**

SANCTION: Cease Testing for Chloride, Sodium, Potassium, Free Thyroxine (FT4), Thyroid Stimulating Hormone (TSH), Prothrombin Time (PT)

EFFECTIVE DATE: May 16, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Chloride, Sodium, Potassium, Free Thyroxine (FT4), Thyroid Stimulating Hormone (TSH), Prothrombin Time (PT) Still in Effect.

JASON MATHERNE M.D., DIRECTOR

BAPTIST HOSPITALS OF SOUTHEAST TEXAS

608 STRICKLAND DRIVE

ORANGE, TX 77630

CLIA ID# 45D0497622 **CAP**

SANCTION: Cease Testing for Phenytoin

EFFECTIVE DATE: June 10, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Phenytoin Testing on July 10, 2014.

DAVID JOHNSON MD, DIRECTOR
PEDIATRICS AND ADOLESCENTS
3111 SAN PEDRO
SAN ANTONIO, TX 78212
CLIA ID# 45D0500275 **COLA**

SANCTION: Cease Testing for Platelet Count

EFFECTIVE DATE: January 2, 2014

REASON: Unsuccessful PT

STATUS: On February 27, 2014 Laboratory Voluntarily Ceased & Removed Platelet Count Testing From Their Test Menu.

STEPHEN WALTER, MD, DIRECTOR
ESSENT PRMC LP D/B/A PARIS REGIONAL MEDICAL CTR
D/B/A PARIS REGIONAL MEDICAL CENTER (NORTH CAMPUS
865 DESHONG DRIVE
PARIS, TX 75462
CLIA ID# 45D0665308 **CAP**

SANCTION: Cease Testing for Cell ID/Flow Differential

EFFECTIVE DATE: November 4, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Cell Id/Flow Differential on November 6, 2014.

RAMON RODRIGUEZ M.D., DIRECTOR
EDINBURG REGIONAL MEDICAL CENTER
CARDIOPULMONARY STE 1530
CARDIOPULMONARY STE 1530
EDINBURG, TX 78539
CLIA ID# 45D0682394 **CAP**

SANCTION: Cease Testing for pO2

EFFECTIVE DATE: August 5, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for pO2 on August 22, 2014. Accreditation Terminated Due to Merger With CLIA ID 45D0503580 on December 22, 2014.

AMARANATH GHANTA, DIRECTOR
ADULT ABG LAB ODESSA MED CTR HOSPITAL
RESPIRATORY CARE DEPT
500 W 4TH STREET
ODESSA, TX 79761
CLIA ID# 45D0701660 **CAP**

SANCTION: Cease Testing for Sodium

EFFECTIVE DATE: June 11, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for Sodium on July 3, 2014.

ALLAN SPENCE MD, DIRECTOR

SPENCE CLINIC

336 SOUTH 8TH STREET

RAYMONDVILLE, TX 78580

CLIA ID# 45D0704215 **COLA**

SANCTION: Cease Testing for Alkaline Phosphatase (ALP)

EFFECTIVE DATE: December 9, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for ALP Still in Effect.

ELOY ZAMARRON, DIRECTOR

ELOY ZAMARRON MD PA

6801 MCPHERSON SUITE 109

LAREDO, TX 78041

CLIA ID# 45D0902244 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff), White Blood Cell (WBC), Red Blood Cell (RBC), Hemoglobin, Hematocrit, Platelet Count

EFFECTIVE DATE: August 15, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Diff, WBC, RBC, Hemoglobin, Hematocrit, Platelet Count Still in Effect.

DANIEL METZGER DO, DIRECTOR
FAMILY MEDICAL CLINIC OF S IRVING
1111 S IRVING HEIGHTS BOULEVARD
IRVING, TX 75060
CLIA ID# 45D0913133 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff), White Blood Cell (WBC), Red Blood Cell (RBC), Hemoglobin, Hematocrit & Platelet Count

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Diff, WBC, RBC, Hemoglobin, Hematocrit & Platelet Count Still in Effect.

SUSAN STRATE, DIRECTOR
KELL WEST REGIONAL HOSPITAL
5420 KELL WEST BLVD
WICHITA FALLS, TX 76310
CLIA ID# 45D0957788 **CAP**

SANCTION: Cease Testing for Bacteriology

EFFECTIVE DATE: April 21, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Testing for Bacteriology on June 2, 2014.

AJAI AGARWAL, DIRECTOR

MONTWOOD FAMILY MEDICAL CENTER

3022 TRAEWOOD

EL PASO, TX 79936

CLIA ID# 45D0960203 **COLA**

SANCTION: Cease Testing for Total Bilirubin

EFFECTIVE DATE: April 29, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resumed Testing for Total Bilirubin on December 4, 2014.

STANLEY UZOIGWE MD, DIRECTOR

PEDIATRIC PRACTICE ASSOCIATION

1408 GRANT STREET

ROMA, TX 78584

CLIA ID# 45D1028121 **COLA**

SANCTION: Cease Testing for Hematocrit

EFFECTIVE DATE: July 2, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Hematocrit Still in Effect.

JAMES MAPES, DIRECTOR
MYRIAD RBM, INC
3300 DUVAL RD STE 110
AUSTIN, TX 78759
CLIA ID# 45D1037483 **COLA**

SANCTION: Cease Testing for Complement C3

EFFECTIVE DATE: December 5, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2013 Cease Testing for Complement C3 Still in Effect.

DANIEL OCONNOR, DIRECTOR
FIRST CHOICE EMERGENCY ROOM
EAGLES NEST
5324 ATASCOCITA RD, SUITE T
HUMBLE, TX 77346
CLIA ID# 45D1068266 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff)

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Diff Still in Effect.

CHARLES WHITE, DIRECTOR
TEXAS ONCOLOGY LAB AT MEDICAL CITY
7777 FOREST LANE, BLDG C SUITE 850
DALLAS, TX 75230
CLIA ID# 45D1069714 **COLA**

SANCTION: White Blood Cell Differential (WBC Diff), Red Blood Cell (RBC), White Blood Cell
(WBC), Hemoglobin, Hematocrit, Platelet Count & Urinary Sediment Microscopic
Elements

EFFECTIVE DATE: January 9, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Resumed WBC Diff, RBC, WBC, Hemoglobin, Hematocrit &
Platelet Count Testing on July 17, 2014. As of December 31, 2014 Cease Testing
for Urinary Sediment Microscopic Elements Still in Effect.

CHRISTOPHER HERMAN, DIRECTOR
MEMORIAL HERMANN EMERGENCY CARE
9950 WOODLANDS PARKWAY
THE WOODLANDS, TX 77382
CLIA ID# 45D1098614 **CAP**

SANCTION: Cease Testing for Chloride

EFFECTIVE DATE: June 11, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Chloride Testing on July 8, 2014.

RAUL BENAVIDES JR, DIRECTOR

MED FUSION

2501 S STATE HWY 121, SUITE 1100

LEWISVILLE, TX 75067

CLIA ID# 45D2004217 **CAP**

SANCTION: Cease Testing for Phenytoin

EFFECTIVE DATE: November 19, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Permanently Ceased Phenytoin Testing on December 8, 2014.

MADHU PAMGANAMAMULA, DIRECTOR

ODESSA CONSULTANTS

420 EAST 6TH STREET SUITE 107

ODESSA, TX 79761

CLIA ID# 45D2009151 **COLA**

SANCTION: Cease Testing for Creatinine

EFFECTIVE DATE: September 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Creatinine Still in Effect.

MIKE PEREZ, DIRECTOR
SMITH CLINIC
2525A HOLLY HALL
HOUSTON, TX 77054
CLIA ID# 45D2042660 **CAP**

SANCTION: Cease Testing for pO2

EFFECTIVE DATE: June 11, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume pO2 Testing on July 16, 2014.

JINNY NARULA, DIRECTOR
DOW EMERGENCY
15119 WALLISVILLE RD
HOUSTON, TX 77049
CLIA ID# 45D2062727 **COLA**

SANCTION: Cease Testing for hCG, B-Type Natriuretic Peptide (BNP), D-dimer, Trponin-1, Creatinine Kinase MB Fraction (CKMB) & Myoglobin

EFFECTIVE DATE: December 12, 2014

REASON: Unsuccessful PT

STATUS: As of 12/31/14 Cease Testing for hCG, BNP, D-dimer, Trponin-1, CKMB & Myoglobin Still in Effect.

SHARMA SUJATA, DIRECTOR

CYMED TOMBALL, PA

107 YALE ST STE 200

HOUSTON, TX 77007

CLIA ID# 45D2063621 **COLA**

SANCTION: Cease Testing for White Blood Cell Differential (WBC Diff), White Blood Cell (WBC), Red Blood Cell (RBC), Hemoglobin, Hematocrit, Platelet Count

EFFECTIVE DATE: April 2, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for WBC Diff, WBC, RBC, Hemoglobin, Hematocrit, Platelet Count Still in Effect.

D SCOTT STEINER MD, DIRECTOR

DAVIS HOSPITAL AND MEDICAL CENTER

1600 W ANTELOPE DR

LAYTON, UT 84041

CLIA ID# 46D0522731 **CAP**

SANCTION: Cease Testing for Fibrinogen

EFFECTIVE DATE: July 14, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume Fibrinogen Testing on September 17, 2014.

MARTIN HOLLINGSWORTH MD, DIRECTOR

COPPERVIEW MEDICAL CENTER

3556 W 9800 S #101

S JORDAN, UT 84095

CLIA ID# 46D0989936 **COLA**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: June 25, 2014

REASON: Failure to Adhere to COLA Imposed Required Improvements.

STATUS: On June 25, 2014 Laboratory No Longer Accredited by COLA.

RALPH DE SIMONE, DIRECTOR

CULPEPER REGIONAL HOSPITAL

501 SUNSET LANE

CULPEPER, VA 22701

CLIA ID# 49D0225367 **CAP**

SANCTION: Cease Testing for pO2

EFFECTIVE DATE: June 11, 2014

REASON: Unsuccessful PT

STATUS: Laboratory Allowed to Resume pO2 Testing on June 13, 2014

ARTHUR RUBIN, DIRECTOR
GENERAL INTERNAL MEDICINE GROUP PC
3833 N FAIRFAX DRIVE - SUITE 200
ARLINGTON, VA 22203
CLIA ID# 49D0226710 **COLA**

SANCTION: Cease Testing for Magnesium

EFFECTIVE DATE: May 19, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Magnesium Still in Effect.

C RONALD SCOTT M.D., DIRECTOR
MOLECULAR DEVELOPMENT LABORATORY
DEPT PEDIATRICS UNIVERSITY OF WASHINGTON
1959 NE PACIFIC STREET
SEATTLE, WA 98195
CLIA ID# 50D1058955 **CAP**

SANCTION: Probation

EFFECTIVE DATE: January 14, 2015

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: Accreditation Terminated Due to Voluntarily Withdrawal from Accreditation Program on June 10, 2014.

CHANDRA REDDY M.D., DIRECTOR

HOUSE OF WELLNESS

S2845 WHITE EAGLE RD

BARABOO, WI 53913

CLIA ID# 52D0954982 **COLA**

SANCTION: Cease Testing for Streptococcus Group A (Non-Waived)

EFFECTIVE DATE: May 5, 2014

REASON: Unsuccessful PT

STATUS: As of December 31, 2014 Cease Testing for Streptococcus Group A (Non-Waived)
Still in Effect.

MOHAMMED AL SABBAN, DIRECTOR

GUAM MEMORIAL HOSPITAL AUTHORITY

CLINICAL LABORATORY

850 GOV CARLOS G CAMACHO RD

TAMUNING, GU 96911

CLIA ID# 65D0675318 **CAP**

SANCTION: Probation

EFFECTIVE DATE: November 25, 2014

REASON: Quality and severity of deficiencies is significant enough to question ability to sustain corrections; corrective action fails to support implementation & prevention of recurrence in one or more areas of the laboratory.

STATUS: As of February 12, 2015 Probation Still in Effect.

6. ALL APPEALS AND HEARING DECISIONS. FOR DETAILED INFORMATION REGARDING THE FOLLOWING LISTING SEE CLIA HEARING DECISION INDEX AT [HTTP://WWW.CMS.GOV/CLIA/HEARINGGROUP.ASP](http://www.cms.gov/clia/hearinggroup.asp)

*** NO DATA FOUND ***

7. A LIST OF LABORATORIES AGAINST WHICH CMS HAS BROUGHT SUIT UNDER SECTION 493.1846 AND THE REASON FOR THOSE ACTIONS.

*** NO DATA FOUND ***

8. A LIST OF LABORATORIES THAT HAVE BEEN EXCLUDED FROM PARTICIPATION IN MEDICARE OR MEDICAID AND THE REASON FOR EXCLUSION.

*** NO DATA FOUND ***

9. CORRECTION OF ANY ERRONEOUS STATEMENTS OF INFORMATION THAT APPEARED IN THE 2002 REGISTRY.

*** NO DATA FOUND ***

10. OTHER ACTIONS. THIS SECTION INCLUDES OTHER SPECIFIC INFORMATION THAT MAY BE USEFUL IN EVALUATING THE PERFORMANCE OF LABORATORIES AS SPECIFIED IN 493 CFR 1859(A). IT ALSO INCLUDES INFORMATION PROVIDED BY CLIA EXEMPT STATES.

*** NO DATA FOUND ***